



Lateral Stabilizer



Sizes: xs, s, m, l, xl, xxl, 3xl

The Lateral Stabilizer offers a strong tubular, lateral buttress that is for lateral stabilization of the patella and is commonly used by patients with patellofemoral conditions.

Common Examples of Use

- Lateral patella subluxation
- Chronic patellar maltracking
- Mild chondromalacia

Product Features

- Available in Airmesh and neoprene
- Low profile design allows for improved patient compliance
- J-shaped buttress provides lateral patellar stabilization
- Inferior and superior straps provide additional compression

Category: Patellofemoral. Tag: Essentials.

Instructions for Use

[Instructions for Use](#)

Part Numbers

Part Numbers

Part #	Description	Size
11041	Airmesh, Left	XS, LT
11042	Airmesh, Left	S, LT
11043	Airmesh, Left	M, LT
11044	Airmesh, Left	L, LT
11045	Airmesh, Left	XL, LT
11046	Airmesh, Left	XXL, LT
11047	Airmesh, Left	3XL, LT
11051	Airmesh, Right	XS, RT
11052	Airmesh, Right	S, RT
11053	Airmesh, Right	M, RT
11054	Airmesh, Right	L, RT
11055	Airmesh, Right	XL, RT
11056	Airmesh, Right	XXL, RT
11057	Airmesh, Right	3XL, RT
07071	Neoprene, Right	XS, RT
07072	Neoprene, Right	S, RT
07073	Neoprene, Right	M, RT
07074	Neoprene, Right	L, RT
07075	Neoprene, Right	XL, RT
07076	Neoprene, Right	XXL, RT
07077	Neoprene, Right	3XL, RT
07081	Neoprene, Left	XS, LT
07082	Neoprene, Left	S, LT
07083	Neoprene, Left	M, LT
07084	Neoprene, Left	L, LT
07085	Neoprene, Left	XL, LT
07086	Neoprene, Left	XXL, LT
07087	Neoprene, Left	3XL, LT

Product Sizing Chart

Lateral Stabilizer Sizing Chart

SIZE #	SIZE	THIGH CIRCUMFERENCE	
X = 1	XS	12" - 15"	(30 - 38 cm)
X = 2	S	15" - 18"	(38 - 46 cm)
X = 3	M	18" - 21"	(46 - 53 cm)
X = 4	L	21" - 24"	(53 - 61 cm)
X = 5	XL	24" - 27"	(61 - 69 cm)
X = 6	XXL	27" - 30"	(69 - 79 cm)

Circumference taken 6" (15 cm) above mid patella