

MODULAR COMPONENTS

EZ Adapt Series



1702T, 1703T, 1704T, 1705T, 1725T EZ ADAPT SERIES

EZ ADAPT components provide versatility to shift and/or rotate as needed, bringing easy solutions to prosthetic alignment needs without adding significant weight or modifying the prosthetic socket.

Warranty: 2 year

P/N	Description	Weight Limit
① 1702T	Rotating Receiver, 45mm, Ti	136kg / 300lbs
② 1703T	Rotating Receiver, 60mm, Ti	136kg / 300lbs
③ 1704T	Offset Rotating Receiver, Ti	136kg / 300lbs
④ 1705T	Rotating Receiver Clamp, Ti	136kg / 300lbs
⑤ 1725T	Offset Rotating Pyramid, Ti	136kg / 300lbs
⑥ 1713T	15 Degrees Angled Offset Receiver	136kg / 300lbs
⑦ 1723T	7.5 Degrees Angled Offset Receiver	136kg / 300lbs

Torque Value	Torque (Nm)	Hex (mm)
M8 Set Screw	15 Nm	4mm wrench
M6 Cap Screw	10 Nm	5mm wrench



1216 ROTATING RECEIVER

The Rotating Pyramid Receiver can be used with 1214T or 1221S. The 1216T is forged and machined for high strength and quality.

Warranty: 2 year

P/N	Material	Product Weight	Weight Limit
⑧ 1216T	Titanium	48g	136kg / 300lbs
1216S	Stainless Steel	68g	125kg / 275lbs

Torque Value	Torque (Nm)	Hex (mm)
M8 Set Screw	15 Nm	4mm wrench

TO ORDER CALL: 714-524-0663 / **FAX:** 714-364-8113



EZ Adapt Series

1737T, 1727T, 1717T, 1718T, 1751T EZ ADAPT SERIES

Warranty: 2 year

①



②



③



P/N	Description	Weight Limit
① 1737T	Extreme linear offset 4-hole pyramid (provides up to 20mm of offset)	100kg / 220lbs
② 1727T	Diagonal offset 4-hole pyramid (provides up to 12mm of offset)	100kg / 220lbs
③ 1717T	Linear offset 4-hole pyramid (provides up to 7mm of offset)	100kg / 220lbs
④ 1718T	Sliding 4-hole receiver (12mm maximum slide distance)	100kg / 220lbs
⑤ 1751T	Variable Height Double Ended Adapter (Build Height range 59mm to 72mm)	100kg / 220lbs

Torque Value	Torque (Nm)	Hex (mm)
M8 Set Screw	15 Nm	4mm wrench
Sliding Adjustment M6 Set Screw	5 Nm	3mm wrench
M5 Cap Screw	7 Nm	4mm wrench

④



⑤



MODULAR COMPONENTS

EZ Adapt Series

①



②



③



④



1817T, 1827T, 1837T, 1847T

EZ ADAPT SERIES

The **1800 series** provides linear, diagonal, and extreme offset with a round base which will reduce stress and prevent socket fatigue.

Warranty: 2 year

P/N	Description	Weight Limit	Product Weight
① 1817T	Linear Offset 4 Hole Pyramid with Round Base, Ti – offset is 7mm	125kg / 275lbs	77g
② 1827T	Diagonal Offset 4 Hole Pyramid with Round Base, Ti – offset is 6,5 mm diagonally from center	125kg / 275lbs	85g
③ 1837T	Extreme Linear Offset 4 Hole Pyramid with Oval Base, Ti – offset is 22mm	100kg / 220lbs	87g
④ 1847T	4 Hole Pyramid with Round Base, Ti	136kg / 300lbs	74g