

1. Product and company identification

Product identifier

Trade name: 2/4Rx - Titan Articles

Relevant identified uses of the substance or mixture and uses advised against

General use: Titanium-Article for orthopedic procedures
Reserved for industrial and professional use.

Details of the supplier of the safety data sheet

Company name: Otto Bock Health Care
Street/POB-No.: 3820 W. Great Lakes Drive
Postal Code, city: Salt Lake City, UT 84120
USA
WWW: www.ottobockus.com
Telephone: +1 (801) 956-2400
Telefax: +1 (801) 956-2401

Dept. responsible for information:
Quality Department,
Telephone: +1 (801) 954-2304 (7 AM – 3 PM, Mountain Time), Email:
USRegulatory@ottobock.com

Additional information: This safety data sheet pertains to the following products:
2R38 - Tube Adaptor
2R38=10 - Tube Adaptor
2R57 - Internal Tube Adaptor
2R58 - Internal Tube Adaptor
2R216 - SACH Shin Kit
2R217 - Single Axis Shin Kit
2R219 - Universal Tube Kit
4R52 - Tube Clamp Adaptor
7E7-T - Modular Single Axis Hip Joint (Titan)

Emergency phone number

CHEMTREC, Telephone: +1 (800) 424-9300

2. Hazards identification

Emergency overview

Appearance: Form: solid
Color: gray
Odor: odorless
Classification: This substance is classified as not hazardous.

Regulatory status

This material is not considered hazardous by the U.S. OSHA Hazard Communication Standard (29 CFR 1910.1200) and SIMDUT in Canada.

Hazards not otherwise classified

Processing, e.g. by cutting, sawing or grinding, can produce particles and dust. For risks which have to be observed thereby, see chapter 7: Handling, chapter 8: Exposure controls / personal protection and chapter 11: Toxicology.

Titanium-dust: Danger of dust explosion.

see section 11: Toxicological information

3. Composition / Information on ingredients

Chemical characterization: Article of Titanium

4. First aid measures

In case of inhalation:	In case of troubles after inhalation of dust: Move victim to fresh air. Seek medical attention.
Following skin contact:	Titanium-dust: Wash with plenty of water. In case of troubles: Take off immediately all contaminated clothing. Seek medical attention.
After eye contact:	Titanium-dust: With eyelids open, wash out eyes for several minutes under flowing water. In case of troubles or persistent symptoms, consult an ophthalmologist.
After swallowing:	Swallowing is not regarded as a possible way of exposition. Titanium-dust: If person is clearly conscious, have them drink two glasses of water to dilute ingested material. Do not induce vomiting. Seek medical attention.

Most important symptoms/effects, acute and delayed

Dust:
In case of eye contact / in case of inhalation: May cause irritations.
Lung damage is possible in a chronic situation.

Information to physician

Treat symptomatically.

5. Fire fighting measures

Flash point/flash point range:	no data available
Auto-ignition temperature:	Titanium-dust: approx. 480.2 °F Titanium-in pieces: approx. 2199.2 °F
Suitable extinguishing media:	Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings. Titanium-dust: Extinguishing powder on the basis of NaCl or pulverized limestone. In case of fire, use dry sand or fire extinguisher of fire class D. Never use water.

Extinguishing media which must not be used for safety reasons:

Titanium-dust:

Never extinguish with a halon or carbon dioxide extinguisher or water.

Not a foam extinguisher.

Specific hazards arising from the chemical

Titanium-dust: Danger of dust explosion.

Titanium-dust, burning:

After contact with water: Danger of explosion!

6. Accidental release measures

Personal precautions:	Avoid generation of dust. Do not breathe dust. Provide adequate ventilation. In the case of the formation of dust: Wear protective equipment. Avoid contact with skin and eyes.
Environmental precautions:	Do not allow to penetrate into soil, waterbodies or drains.
Methods for clean-up:	Metal parts/dust: Take up mechanically, placing in appropriate containers for disposal. Avoid generation of dust.
Additional information:	Titanium-dust: Eliminate all ignition sources if safe to do so.

7. Handling and storage

Handling

Advices on safe handling: For mechanical processing:
Avoid respiration of swarf. Wear protective equipment.
Provide adequate ventilation. Keep workplace dry.

Precautions against fire and explosion:
For mechanical processing:
Avoid generation of dust. Danger of dust explosion.
Keep away from combustible material. Keep away from sources of ignition.

Storage

Requirements for storerooms and containers:
Store in a dry place.

8. Exposure controls / personal protection

Exposure guidelines

Occupational exposure limit values:

Type	Limit value
USA: ACGIH: TWA	10 mg/m ³
USA: ACGIH: TWA	3 mg/m ³
USA: OSHA: TWA	15 mg/m ³
USA: OSHA: TWA	5 mg/m ³

Engineering controls

Provide good ventilation and/or an exhaust system in the work area.
See also information in chapter 7, section storage.

Personal protection equipment (PPE)

Eye/face protection	For mechanical processing: Tightly sealed safety glasses according to OSHA Standard - 29 CFR: 1910.133 or ANSI Z87.1-2003. or face protection shield.
Skin protection	For mechanical processing: Wear suitable protective clothing. For mechanical processing: Protective gloves according to OSHA Standard - 29 CFR: 1910.138. Observe glove manufacturer's instructions concerning penetrability and breakthrough time.
Respiratory protection:	For mechanical processing: Respiratory protection must be worn whenever the TLV (WEL) levels have been exceeded. Particulates filter P2 according to OSHA Standard - 29 CFR: 1910.134 or ANSI Z88.2.
General hygiene considerations:	For mechanical processing: Do not breathe dust. Keep workplace dry. Wash hands before breaks and after work. Provide a conveniently located eye rinse station.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance:	Form: solid Color: gray
Odor:	odorless
Odor threshold:	no data available
pH value:	no data available
Melting point/freezing point:	3034.4 - 3050.6 °F
Initial boiling point and boiling range:	5900 - 6332 °F
Flash point/flash point range:	no data available
Evaporation rate:	no data available
Flammability:	no data available
Explosion limits:	LEL (Lower Explosion Limit): Titanium-dust, dry: approx. 50g/m ³
Vapor pressure:	no data available
Vapor density:	no data available
Density:	4.5 g/cm ³
Water solubility:	insoluble
Partition coefficient: n-octanol/water:	no data available
Auto-ignition temperature:	Titanium-dust: approx. 480.2 °F Titanium-in pieces: approx. 2199.2 °F
Thermal decomposition:	no data available
Additional information:	no data available

10. Stability and reactivity

Reactivity:	no data available
Chemical stability:	Product is stable under normal storage conditions.
Possibility of hazardous reactions	Titanium-dust: Danger of dust explosion.
Conditions to avoid:	For mechanical processing: Avoid formation of dust/air mixtures because of explosion hazard. Keep away from sources of ignition. Protect from excessive heat. Protect from moisture contamination.
Incompatible materials:	For mechanical processing: Strong oxidizing agents, strong reducing agents
Thermal decomposition:	no data available

11. Toxicological information

Toxicological tests

Toxicological effects:	Acute toxicity (oral): Lack of data.
	Acute toxicity (dermal): Lack of data.
	Acute toxicity (inhalative): Lack of data.
	Skin corrosion/irritation: Lack of data.
	Eye damage/irritation: Lack of data.
	Sensitisation to the respiratory tract: Lack of data.
	Skin sensitisation: Lack of data.
	Germ cell mutagenicity/Genotoxicity: Lack of data.
	Carcinogenicity: Lack of data.
	Reproductive toxicity: Lack of data.
	Effects on or via lactation: Lack of data.
	Specific target organ toxicity (single exposure): Lack of data.
	Specific target organ toxicity (repeated exposure): Lack of data.
	Aspiration hazard: Lack of data.

Symptoms

In case of inhalation: Dust: May cause irritations.
Lung damage is possible in a chronic situation.
After eye contact: Dust: May cause irritations.

12. Ecological information

Ecotoxicity

Further details:	no data available
------------------	-------------------

Mobility in soil

no data available

Persistence and degradability

Further details: Methods for the determination of biodegradability are not applicable to inorganic substances.

Additional ecological information

General information: Do not allow to penetrate into soil, waterbodies or drains.

13. Disposal considerations

Product

Recommendation: Special waste. Dispose of waste according to applicable legislation.

14. Transport information

USA: Department of Transportation (DOT)

Proper shipping name: Not restricted

Sea transport (IMDG)

Proper shipping name: Not restricted

Marine pollutant: no

Air transport (IATA)

Proper shipping name: Not restricted

Further information

No dangerous good in sense of these transport regulations.

15. Regulatory information

National regulations - U.S. Federal Regulations

Refer to 29 CFR Part 1910 subpart q - Welding, Cutting, Brazing 1910.252.


Titanium: TSCA listed

National regulations - Great Britain

Hazchem-Code: -

16. Other information

Hazard rating systems:



NFPA Hazard Rating:

Health: 0 (Minimal)

Fire: 0 (Minimal)

Reactivity: 0 (Minimal)

HMIS Version III Rating:

Health: 0 (Minimal)

Flammability: 0 (Minimal)

Physical Hazard: 0 (Minimal)

Personal Protection: X = Consult your supervisor

HEALTH	0
FLAMMABILITY	0
PHYSICAL HAZARD	0
	X

Reason of change: Changes in section 1: Address

Date of first version: 8/6/2008

Department issuing data sheet

Contact person: see section 1: Dept. responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.